

Application of Nanotechnology in Biomedicine

Rizwan Jalali*

Uni de Moncton, Canada

**corresponding author*

Keywords: Bio Nanotechnology, Tumor Diagnosis and Treatment, Photothermal Therapy, Bi₂S₃ Nanoflowers

Abstract: Nanotechnology is a hot spot of cutting-edge scientific and technological research in today's society. It is widely used in nano-drug carriers, functional nano-materials, nano-biosensors and micro-devices, and has promising applications. The purpose of this paper is to study the application of nanotechnology in biomedicine. A CT imaging-guided tumor photothermal therapy nanomedicine, Bi₂S₃ nanoflowers, is proposed. Based on the high X-ray attenuation and near-infrared absorption properties of Bi, and the high specific surface area of Bi₂S₃ nanoflowers, Bi₂S₃ nanoflowers have excellent CT imaging and photothermal treatment effects. On this basis, we first evaluated the characterization of Bi₂S₃ nanoflowers in the experiment, and confirmed that Bi₂S₃ nanoflowers are a kind of biosafety nanomedicine by evaluating the efficacy of bismuth sulfide nanoflowers at the cellular level. At the same time, it was confirmed by flow cytometry results and 4T1 live-dead staining data that Bi₂S₃ nanoflowers as a photothermal therapy drug induced significant tumor cell death.

1. Introduction

Bio-nanotechnology was born from the combination of nanotechnology and modern biotechnology, taking organisms as the research object, based on traditional biotechnology and modern biotechnology, and using the knowledge and methods of nanotechnology to conduct biomedical research and cultivation[1-2]. Research covers humans, individuals, organs and tissues at the cellular, subcellular, molecular and individual levels, providing new materials, technologies and methods for engineering research, disease diagnosis and drug therapy.

The field of nanotechnology has grown tremendously in the past and has many environmental applications. Nanomaterials are highly reactive due to their small size and large surface area, enabling them to be used as reducing agents and adsorbents. Schwarz-Plaschg C focuses on nitrate removal from aqueous systems using different nanomaterials, in particular nanoparticles, nanotubes, nanofibers, nanoshells, nanoclusters and nanocomposites. The limitations of nitrate removal using such nanomaterials and potential techniques to overcome these limitations are also discussed [3].

Some scholars have emphasized nanotechnology systems as an innovative herbal drug delivery system to improve the therapeutic effect and bioavailability of natural medicines. In addition, methods for preparing herbal nanoparticle formulations, their structures, and the need to use herbal medicines in combination with nanoparticles are discussed [4]. Therefore, it is of practical significance to study the application of nanotechnology in biomedicine [5].

In this paper, a green synthetic metabolizable three-dimensional bismuth sulfide nanoflower based on the biomacromolecule BSA (bovine serum albumin) was designed. The synthesis method is green and environmentally friendly, with mild conditions and good biocompatibility; bismuth sulfide (Bi₂S₃) nanoflowers have a special three-dimensional structure, high photothermal conversion efficiency and X-ray attenuation, and can be used in photothermal preparations and computers. Contrast agent for tomography; in addition, based on the isoelectric point of BSA, Bi₂S₃ nanoflowers will be degraded into small particles for excretion in the physiological environment, improving the biosafety during their application.

2. Research on the Application of Nanotechnology in Biomedicine

2.1. Nanotechnology

Nanotechnology is the preparation of functional nanomaterials with specific characteristics by manipulating atoms and blocks within nanoscale structures to precisely control the composition and size of desired materials. Physical and chemical properties are used in a targeted manner [6-7]. As one of the most active scientific and technological disciplines in modern society, nanotechnology presents unique opportunities in the intersection of biochemical analysis and basic medical research, and has broad application prospects. As a key component of nanotechnology, functional nanomaterials have attracted much attention due to their unique electrical, magnetic and mechanical properties. These properties mainly include surface effects, small-scale effects, dielectric confinement effects, and large-scale effects [8].

2.2. Classification of Nanomaterials

From the perspective of application fields, it includes nanoelectronic materials, nanobiomedical materials, nanometer optoelectronic materials, etc. [9]. From the perspective of nanostructures, including three-dimensional, two-dimensional, one-dimensional and zero-dimensional nanomaterials, it can be vividly understood as nano-blocks, planes, lines and dots. Three-dimensional nanomaterials refer to blocks containing nanostructures, such as nanoblocks containing small nanocrystals or nanomesoporous blocks containing nanoscale pores. Two-dimensional nanomaterials refer to nanomaterials with planar shapes such as nanofilms, nanoribbons, etc. One-dimensional nanomaterials refer to nanomaterials that are in the nanoscale range in two dimensions, and the dimensions in the other dimension are much larger than the above-mentioned two-dimensional dimensions, and even reach macroscopic dimensions. From the perspective of material shape, including nanowires, nanotubes, nanorods, etc. Nanotubes refer to a particle size between 1 and 100 nm, containing hollow and fine tubular structures, which can be single-walled or multi-walled nanotubes, such as carbon nanotubes. Zero-dimensional nanomaterials refer to tiny particles whose three dimensions are nanoscale, including clusters, quantum dots, nanoparticles, etc. [11-12]. The diameter of the clusters is usually no larger than 1 nm. Different from the specific structure and shape of molecules, atomic clusters have various spatial structures and shapes; unlike crystals, which have structural periodicity, they do not contain

complete and regular crystals. Different clusters according to the number of atoms exhibit different physicochemical properties from single atoms, molecules, and macroscopic solids and liquids, such as quantum size effects, shell structures, and magic numbers [13]. Quantum dots refer to nanomaterials composed of thousands to millions of atoms. The restrictions in quantum dots from three aspects: electrostatic potential, material surface, and material interface give electrons, holes and excitons to the movement in three-dimensional space. bring constraints. Nanoparticles refer to granular substances with a diameter in the nanometer order (1~100nm), a volume larger than a cluster, and a nanomaterial with an atomic number between 10³ and 10⁷. Under normal circumstances, due to the small number of atoms and large specific surface area, nanoparticles have the characteristics of small channel material size effect, surface effect, quantum size effect and so on [14-15].

2.3. Oncology Diagnosis and Treatment

At present, the more common clinical imaging examinations are: CT, ultrasound, X-ray, MRI, etc.; pathological examination, including non-exfoliative cell puncture sampling diagnosis and exfoliative cytology examination, pathological examination is the most reliable tumor Diagnosis basis; endoscopy, which can directly observe the lesions of internal organs of the human body, and determine its specific location and scope, and then determine the nature of the lesions by examining the biopsy specimens, which greatly improves the diagnostic accuracy of tumors [16] -17]. The treatment of tumors is mainly divided into the following types: surgical resection, chemotherapy, targeted therapy. Targeted therapy is precise and gentle. For example, in the application of laser-induced tumor hyperthermia, the main function of nanoparticles is to absorb laser energy and convert it into heat energy, and the efficiency of absorption and thermal conversion is closely related to the size and shape of nanoparticles [18].

DDA theory can be used to calculate the optical properties of nanoparticles of arbitrary shape and composition. The main principle is to discretize the target particle into N cube dipoles, so that the surrounding scattered field can be approximately regarded as the superposition of the effect of each dipole. The dipole moment of the *i*th dipole can be expressed as $P_j = a_j E_j$, where a_j represents the polarizability of the dipole and E_j represents the electric field strength at position r_j [19-20]. The formula for calculating E_j is:

$$E_j = E_j^{inc} - \sum_{k \neq j} A_{jk} P_k \quad (1)$$

If A_{jj} is defined as $A_{jj} = -a_j^{-1}$, the dipole moment P_j can be obtained by solving the following system of equations:

$$\sum_{k=1}^N A_{jk} P_k = E_j^{inc} \quad (2)$$

Extinction, absorption and scattering factors can be obtained by calculating the ratio of the corresponding cross-sectional size to the effective particle radius $Reff$.

3. Approaches to the Application of Nanotechnology in Biomedicine

3.1. Experimental Materials and Instruments

4T1 mouse breast cancer cells were purchased from the Culture Collection (ATCC).

4-6 week old balb/c female nude mice (body weight 20 g) were purchased from Viton Lever Laboratory Animal Center.

The experimental equipment is shown in Table 1.

Table 1. Experimental apparatus

Name	Instrument model
Infrared camera	FLIR E40
Small Animal Computed Tomography	Triumph X -SPECT/X-O CT
Optical microscope	Nikon U-II Multipoint
Laser scanning confocal microscope	OlympusBX61W1
Ultrapure Milli-Q water purifier	ELIX
Microplate reader	EL800

3.2. Preparation of Bismuth Sulfide Nanoflowers

(1) $\text{Bi}(\text{NO}_3)_3 \cdot 5\text{H}_2\text{O}$ (48.5mg) was dissolved in 2mL HNO_3 (2M) to form A liquid.

(2) Add solution A to the BSA solution (0.5g 16mL DIwater) to form solution B. And avoid light stirring.

(3) After stirring for 30 min, NaOH was added quickly to adjust the pH to 12, and the reaction was carried out for 12 h.

(4) After the reaction, centrifuge at 9600rpm*20min to remove the supernatant, then wash the precipitate twice with three times of water at 9600rpm*20min, and finally use three times of water to disperse the precipitate for later use.

3.3. Observation of Cells by CLSM Imaging

The cells were divided into 5 groups, Ctr, Bi_2S_3 (50 $\mu\text{g}/\text{mL}$), laser (1w/cm²), Bi_2S_3 (25 $\mu\text{g}/\text{mL}$)+laser (0.5w/cm²), Bi_2S_3 (50 $\mu\text{g}/\text{mL}$)+laser (0.5w/cm²) group, after adding the material, each group was incubated for 10 hours, and the three groups were irradiated with LWRL808 laser of corresponding power for 10 minutes, and incubated for 24 hours. The medium was discarded and washed 2 times with PBS. Then, a solution of 500 μL calcein (AM, 10 mM) and 500 μL propidium iodide (PI, 10 mM) in PBS was added to each well and incubated in the dark at 37 °C, 5% CO₂ 10 minutes. Cells were then washed 2 times with PBS to remove residual nanoparticles and dead cells. Finally, cells were observed by confocal laser scanning microscopy. Green and red fluorescence indicate live and dead cells, respectively.


4. Analysis of the Application of Nanotechnology in Biomedicine

4.1. Characterization of Bismuth Sulfide Nanoflowers

To confirm the successful synthesis of the prepared nanomaterials, the samples were characterized using FT-IR spectroscopy.

Table 2. Characterization of bismuth sulfide nanoflowers

Wavenumber (cm-1)	Bi ₂ S ₃	BSA
3000	2978	2773
2500	2408	2296
2000	1916	1794
1500	1400	1321
1000	936	803
500	412	375

Figure 1. Fourier transform infrared spectrum of Bi₂S₃ nanoflowers

As shown in Figure 1, the bands of Bi₂S₃NPs are located in the same regions and have the same characteristics as those of pure BSA. The bands appearing at 1321cm⁻¹, 803cm⁻¹, and 375cm⁻¹ are the amide and primary amine bands of BSA, and the bovine serum albumin-modified NPs showed a decrease in the -SH signal intensity at $\approx 2000\text{cm}^{-1}$, indicating that BSA Part of the S content in was converted into Bi₂S₃NPs. This proves the presence of BSA in the prepared Bi₂S₃NPs. At the same time, it also shows that the reaction of NP in the BSA molecule does not seem to affect the structure of BSA, as shown in Table 2.

4.2. Evaluation of the Therapeutic Effect at the Cellular Level of Bismuth Sulfide Nanoflowers

For further biomedical applications, it is necessary to evaluate the biocompatibility of Bi₂S₃ nanoflowers. The cytotoxicity of Bi₂S₃ nanoflowers to 4T1 was detected by CCK-8 method. The results showed that the viability of 4T1 cells was almost unaffected after different concentrations of bismuth sulfide nanoflowers were treated with bismuth sulfide nanoflowers for 24 h, indicating that

bismuth sulfide nanoflowers had no obvious cytotoxicity and had biological safety, as shown in Table 3.

Table 3. The survival rate of 4T1 cells incubated with different concentrations of Bi₂S₃ nanoflowers for 24h (Bi₂S₃: $\mu\text{g mL}^{-1}$)

Different concentrations of bismuth sulfide nanoflowers	Cell viability (%)
Ctr	100
6.25	97.45
12.5	97.92
25	96.88
50	98.48
100	98.29
200	97.12

In order to evaluate the photothermal treatment effect of bismuth sulfide nanoflowers at the cellular level, and to further confirm the biological safety of bismuth sulfide nanoflowers.

We further verified the photothermal treatment effect of bismuth sulfide nanoflowers by staining with live and dead cells (green represents live cells and red represents dead cells). As shown in Fig. 3, the different treatment groups exhibited green fluorescence similar to the control group, which indicated that the bismuth sulfide nanoflowers had good biocompatibility. Moreover, the results of live and dead staining of 4T1 cells were consistent with the flow cytometry results. With the increase of the concentration of bismuth sulfide nanoflowers and the laser power, the activity of 4T1 decreased significantly. These results also indicate that bismuth sulfide nanoflowers have the potential of photothermal therapy.




Figure 3. *In vitro* hyperthermia of bismuth sulfide nanoflowers

5. Conclusion

At present, due to the limited sensitivity of tumor detection methods, poor targeting of therapeutic drugs, insufficient accumulation of therapeutic drugs in tumor sites, and non-specific distribution, it is often difficult to achieve early diagnosis and real-time monitoring of tumors. Treatment results are not expected. Therefore, the development of new methods for high-sensitivity diagnosis and effective treatment of tumors has become a research hotspot in the current biomedical field. This paper firstly reviews the applications of nanoparticles in the biomedical field, and then

proposes the main idea of this paper on this basis. According to the research results in this paper, targeted modification or modification of nanoparticles can be carried out according to different experimental purposes, or to increase the uptake of nanoparticles or prevent them from entering cells, so as to be better applied in various fields.

Funding

This article is not supported by any foundation.

Data Availability

Data sharing is not applicable to this article as no new data were created or analysed in this study.

Conflict of Interest

The author states that this article has no conflict of interest.

References

- [1] E Zekić, Ž. Vuković, I Halkijević. *Application of nanotechnology in wastewater treatment. Građevinar*, 2018, 70(4):315-323.
- [2] Bjorn, Birgisson, Peter, et al. *American Road Map for Research for Nanotechnology-Based Concrete Materials:.* *Transportation Research Record*, 2018, 2142(1):130-137. <https://doi.org/10.3141/2142-20>
- [3] Schwarz-Plaschg C. *Nanotechnology is like ... The rhetorical roles of analogies in public engagement. Public understanding of science*, 2018, 27(2):153-167.
- [4] Mauter M S, Zucker I, Perreault F, et al. *The role of nanotechnology in tackling global water challenges. Nature Sustainability*, 2018, 1(4):166-175.
- [5] Edwin van der Pol a b c, C L D R A B, Frank A.W. Coumans a b c, et al. *Absolute sizing and label-free identification of extracellular vesicles by flow cytometry. Nanomedicine: Nanotechnology, Biology and Medicine*, 2018, 14(3):801-810.
- [6] Kodu M, Berholts A, Kahro T, et al. *Graphene functionalised by laser-ablated V2O5 for a highly sensitive NH3 sensor. Beilstein Journal of Nanotechnology*, 2018, 8(1):571-578. <https://doi.org/10.3762/bjnano.8.61>
- [7] Nyström G, Arcari M, Mezzenga R. *Confinement-induced liquid crystalline transitions in amyloid fibril cholesteric tactoids. Nature Nanotechnology*, 2018, 13(4):330-336.
- [8] Morello, Andrea. *Quantum search on a single-atom qudit. Nature Nanotechnology*, 2018, 13(1):9-10.
- [9] Midolo L, Schliesser A, Fiore A. *Nano-Opto-Electro-Mechanical Systems. Nature Nanotechnology*, 2018, 13(1):11-18. <https://doi.org/10.1038/s41565-017-0039-1>
- [10] Maharubin S, Zhou Y, Tan G Z. *Development and investigation on a Silver Nanoparticle-Incorporated Electrofiltration System for Biofouling Control. IEEE Transactions on Nanotechnology*, 2018, PP(99):1-1.
- [11] Park H, Naveen M, An K, et al. *A Novel Morpholine-Based Rhodamine Fluorescent Chemosensor for the Rapid Detection of Hg²⁺ Ions.. Journal of nanoscience and nanotechnology*, 2019, 19(11):6893-6898. <https://doi.org/10.1166/jnn.2019.16709>

- [12] Cannas C, Mameli V, Peddis D, et al. *A Special Section on Nanostructured Iron-Based Spinels: Synthesis, Characterization, Properties and Applications.. Journal of nanoscience and nanotechnology*, 2019, 19(8):4821-4823. <https://doi.org/10.1166/jnn.2019.16881>
- [13] Starikov A A, Yi L, Zhe Y, et al. *Calculating the transport properties of magnetic materials from first principles including thermal and alloy disorder, noncollinearity, and spin-orbit coupling. Physical Review. B, Condensed Matter*, 2018, 97(21):214415.1-214415.23.
- [14] Abdalla A M, Hossain S, Azad A T, et al. *Nanomaterials for solid oxide fuel cells: A review. Renewable and Sustainable Energy Reviews*, 2018, 82(pt.1):353-368.
- [15] Khiavi M A, Safary A, Barar J, et al. *PEGylated gold nanoparticles-ribonuclease induced oxidative stress and apoptosis in colorectal cancer cells. BioImpacts*, 2020, 10(1):27-36. <https://doi.org/10.15171/bi.2020.04>
- [16] Thakur N, Murthy H. *An overview on 3D Printed Medicine. Material Science Research India*, 2021, 18(1):07-13. <https://doi.org/10.13005/msri/180102>
- [17] Marks L. *Past and present women pioneers in biomedical science. The Lancet*, 2021, 398(10297):293-295.
- [18] University S Q. *First Biomedical Science Conference in Oman: 26–27 February 2020. Sultan Qaboos University medical journal*, 2021, 21(1):e146-159.
- [19] Lee S, Bae K S, Lee J Y, et al. *Development of Molecular Diagnostic System with High Sensitivity for the Detection of Human Sapovirus from Water Environments. Biomedical Science Letters*, 2021, 27(1):35-43. <https://doi.org/10.15616/BSL.2021.27.1.35>
- [20] Matsuyama E. *A Novel Method for Automated Lung Region Segmentation in Chest X-Ray Images. Journal of Biomedical Science and Engineering*, 2021, 14(6):288-299. <https://doi.org/10.4236/jbise.2021.146024>